DynaMed®





Características claves

- 1. Asegura la confianza en la práctica
- 2. Mejora los tiempos de respuesta
- 3. Crea una experiencia individual
- 4. Permite el acceso en cualquier momento y lugar

Asegura la confianza en la práctica

- Confianza en el proceso de toma de decisions clínicas
- Contenido basado rigurosamente en los siete pasos de la metodología basada- en- evidencia.
- Robusta y sistemática vigilancia de literatura
- Actualizaciones diarias
- Experiencia clínica

Mejora el tiempo de respuesta

- La experiencia del usuario es altamente intuitiva
- Poderosa tecnología de búsqueda
- Conclusiones clave
- Sinopsis específicas
- Recomendaciones claramente definidas
- Reduce el tiempo de respuesta


Crea una experiencia individual

- Consulte rápidamente las actualizaciones recientes de cambios de prácticas clínicas
- Afiliarse con múltiples organizaciones para facilitar el acceso
- Seguimiento continuo del uso de DynaMed para créditos CME y MOC.

Acceso en cualquier lugar y momento

- Se integra perfectamente al flujo de trabajo médico
- Se integra a sus registros médicos electrónicos (HER)
- Acceso "en el camino" con la aplicación móvil
- Funciones de inicio único optimizadas

El Nuevo DynaMed



Recent Updates Recently Viewed

Actualizaciones recientes desde la Página de Inicio

Recent Updates

6 Aug 2019

antidepressants may reduce frequency and severity of pathologic crying and laughing episodes in patients with poststroke emotionalism (Cochrane Database Syst Rev 2019 Mar 19)

View in Long-term management of stroke

6 Aug 2019

BIOCELL textured breast implant products voluntarily recalled by manufacturer (Allergan) after request by FDA to remove from market due to risk of breast implant-associated anaplastic large cell lymphoma (FDA Press Release 2019 Jul 24)

View in Locoregional therapy for early and locally advanced breast cancer

Subscribe to personalize your updates. Already subscribed? Sign in.

Subscribe to DynaMed

- Get full access to DynaMed content
- Earn and redeem CME/CPD/CE & MOC credits
- Never miss an update on topics you follow with our email alerts

Subscribe


Already have a DynaMed subscription?
Sign in now

6 Aug 2019


guidance from primary care staff on healthy feeding from birth to age 2 years may reduce functional constipation in children aged 6 years (J Pediatr Gastroenterol Nutr 2018 Nov)




Cuenta personal para tener acceso




Buscando en DynaMed




Resultados de la búsqueda: Temas




Viendo imágenes de temas




Viendo actualizaciones de temas



Siguiendo un tema



Notificación de seguimiento



Guidelines and Resources

Seguir temas en la página de inicio

Recent Updates



ALL

18 Jul 2019

AHA/ACC/HRS 2019 focused update of the 2014 AHA/ACC/HRS guideline on management of patients with atrial fibrillation (Circulation 2019 Jul 9)

View in Atrial Fibrillation, Atrial Fibrillation

8 Feb 2019

AFTER Part 2 clinical decision tool helps predict risk of all-cause death or cardiovascularrelated rehospitalization within 30 days in patients presenting to emergency department with atrial fibrillation (Am Heart J 2018 Sep)

View in Atrial Fibrillation

22 Aug 2018

resolved atrial fibrillation associated with increased risk of stroke or transient ischemic attack and all-cause death compared to patients without atrial fibrillation (BMJ 2018 May 9)

Recently Viewed

Atrial Fibrillation

Sepsis in adults

Gestational diabetes mellitus (GDM)

Metformin

Chronic rhinosinusitis

Chronic cough in adults - approach to the patient

Coronary artery bypass graft (CABG) surgery

Followed

Atrial Fibrillation







Search Term Results

SEARCH RESULTS **Atrial Fibrillation** ALL **III** IMAGES (23) 585 Results CONDITIONS Atrial fibrillation Embolic stroke and thromboembolism Evidence for ECG detection of atrial fibrillation Other likely risk factors **MISCELLANEOUS** Cardioversion of atrial fibrillation Vernakalant Comparative efficacy of pharmacologic conversion Transesophageal echocardiogram (TEE)-guided approach MISCELLANEOUS Rhythm control in atrial fibrillation Dronedarone Statins Comparative efficacy

Viendo secciones de temas



Búsqueda por Especialidad



Subtemas de Especialidades

= DynaMed[®]



EP SALES KJENSEN





Specialty

Cardiology

- Cerebrovascular disease
 - > Other cerebrovascular conditions
 - > Stroke/tia
- Congenital heart disease
 - > In adults
 - > In pediatrics
- Acute coronary syndromes
 - > Non-st-elevation acute coronary syndromes
 - > St-elevation myocardial infarction (stemi)
- Stable coronary artery disease (cad)
 - > Types
 - > Treatment
 - > Testing and approach

Pericardial diseases

Acute and recurrent pericarditis

Constrictive pericarditis

Pericardial effusion and tamponade


Perioperative management

Perioperative cardiac management for noncardiac surgery

- Prevention
 - > Cardiovascular disease prevention overview
 - > Dyslipidemias and inherited lipid disorders
 - > Lifestyle modification for prevention
 - Medication for prevention
 - > Risk factor assessment




Módulos de Educación Continua (CME) DynaMed




Autentificación: Cuenta Personal


DynaMed



Indicador CME




Seguimiento a CME




Consider obtaining one or more of the following tests to confirm the

Guidelines and Resources


Enviando CMEs




Funciones de CME




Seleccione el Grado o Certificado de participación



Adding Board Names and ID's



Preparando CMEs




Aplicación en la Práctica

Diuretics for heart failure 5 Aug 2019 **Application in Practice** 1. Your search for 'Diuretics for heart failure' was to learn about: (Choose one) Clinical manifestations Diagnosis Treatment Prognosis Prevention Other 2. Indicate how you expect to apply the information obtained in your search for 'Diuretics for heart failure' (Select any that apply) I will change diagnostic tests or strategy (e.g., eliminate an imaging study, change lab work for this condition) I will make other practice changes I found the information supports my plan I will share the information with my patient(s) I will share the information with colleagues I did not find that the information answered my clinical question

Submit

Cancel

Solicitando sus Créditos



Evaluación

Diuretics for heart failure

5 Aug 2019

Ev	ation			
1.	I consulted DynaMed (Choose one)			
	Before the patient encounter During the patient encounter After the patient encounter			
2.	The editors demonstrated experiential knowledge of this topic (Choose one)			
	YesNoUnsure			
3.	The evidence base for best practice recommendations was provided (Choose one)			
	NeverSometimesOftenAlways			
4.	The reporting of scientific research was presented objectively (Choose one)			
	○ Yes			

Certificados









CME/CPD/CE and MOC

Earn CME/CPD/CE credits while using DynaMed. Claim earned credits and we will submit eligible credits for Maintenance of Certification for you. Learn more about CME/CPD/CE and MOC

AVAILABLE CREDITS (2.5)	CLAIMED CREDITS	MOC	Settings 🏚
2019			^
Aug 2019		0.5 AMA/AFP	View PDF
Aug 2019		1.5 AMA/AFP	View PDF
Aug 2019		0.5 AMA/AFP	View PDF
Aug 2019		2.5 AMA/AFP	View PDF

Aprenda más









CME/CPD/CE and MOC

Earn CME/CPD/CE credits while using DynaMed. Claim earned credits and we will submit eligible credits for Maintenance of Certification for you. Learn more about CME/CPD/CE and MOC

AVAILABLE CREDITS (2.5) CLAIMED CREDITS MOC

Settings 🎎



2019		^
Aug 2019	0.5 AMA/AFP	View PDF
Aug 2019	1.5 AMA/AFP	View PDF
Aug 2019	0.5 AMA/AFP	View PDF
Aug 2019	2.5 AMA/AFP	View PDF

Qué debo hacer para estar preparado para el lanzamiento de Dynamed?

- Para un acceso Seguro y sin problemas a DynaMed, por favor actualice a Internet Explorer 11 o la más reciente version de Firefox, Chrome, o Edge.
- Para asegurar que nada sea bloqueado para sus usuarios, el dominio del siguiente link debe ser añadido a su lista de sitios seguros de suantes del 21 de Agosto 21 de 2019.
- Si su organización utiliza un proxy para acceder a los recursos de EBSCO, su configuración de proxy también necesitará una actualización para el nuevo dominio antes del 21 de Agosto del 2019.

Cómo puedo promover DynaMed?

- Impulse a sus usuarios a registrarse a alguna delas sesiones de 20 minutos de Dynamed. Register
- Coloque un poster promocional de DynaMed en areas communes de los médicos. <u>DynaMed promotional poster</u>
- Comparta el flyer promocional con su staff durante sus rondas o cambios de guardias. <u>DynaMed promotional flyer</u>
- Envíe a su staff médico un email promocional deDynaMed. <u>DynaMed promotional email</u>

Sección de Ayuda

13 Feb 2019

perioperative curcumin may not improve markers of inflammation or tissue injury 1 hour after surgery and may increase acute kidney injury in patients having elective abdominal aortic aneurysm repair (CMAJ 2018 Oct 29)

View in Abdominal aortic aneurysm (AAA)

28 Nov 2018

increasing D-dimer and thrombin-antithrombin complex levels associated with increasing AAA growth rates, while cardiovascular disease and diabetes associated with reduced AAA growth rate (Blood Adv 2018 Nov 27)

View in Abdominal aortic aneurysm (AAA)

26 Sep 2018

perioperative beta-blocker use associated with reduced postoperative mortality but higher rate of major adverse events in patients having open repair of intact AAA (Ann Surg 2018 Jun)

View in Abdominal aortic aneurysm (AAA)

Abdominal aortic aneurysm (AAA)





About DynaMed Help Feedback | Privacy Policy | Terms of Use | Copyright





EBSCO Health

Para mayor información, visite EBSCO Connect https://connect.ebsco.com

iGracias!

Jenny Maggi Cáceres Gini | Training Manager



jcaceres@ebsco.com